

GOMMA EPDM

EPDM RUBBER GRANULES
ANTI-TRAUMA SYSTEM WITH
POLYGUM RESIN

DESCRIPTION

High-quality EPDM rubber granule with paste colour.

ORIGIN

Ethylene-propylene-diene thermopolymer.

FIELDS OF APPLICATION

Specially designed as a coloured granule for play and sports surfaces.

CERTIFICATIONS

ISO 9001 certified quality management system
(Certificate No. IT.17.0227.01.QMS).

APSE S.r.l. is an active member of CONPAVIPER.




COLOURS

Available colour range:

- beige 1001,
- bianco perla 1013,
- giallo sole 1012,
- arancione 2004,
- rosso fuoco 3017,
- rosso atletica 3016,
- violetto 4005,
- verde salvia 6011,
- verde prato 6025,
- verde brillante 6017,
- turchese 5018,
- blu pastello 5024,
- blu traffico 5017,
- blu cielo 5015,
- marrone 8024,
- grigio medio 7035,
- grigio scuro 7015,
- nero 9004.

DAT PRODUCT TECHNICIANS

FEATURE	VALUES
Density	1,6 g/cm ³
Polymer content	> 28 ± 2%
Hardness (SHORE A)	60 ± 5
Tensile strength	> 6MPa
Elongation at break	> 700%
Apparent density	0,570 kg/dm ³
Grain size	1-3,5 mm



The data given above are information obtained from our best technical knowledge, application, and research experience. However, since we are unable to intervene directly in site conditions and work execution, they represent general indications that do not bind APSE S.r.l. - V&V Group. The information given does not relieve the purchaser of his responsibility to personally test our products as to their suitability with regard to their intended use. The customer is also responsible for verifying that this data sheet is valid for the batch of product of interest to him and is not outdated as superseded by later editions. If in doubt, contact our Technical Department in advance. APSE S.r.l. - V&V Group reserves the right to make technical changes of any kind without prior notice. This revision cancels and supersedes all previous ones, all under the continuous verification of data according to the new current Standards and our ISO 9001 management system. Please be sure to check the most up-to-date version of this Data Sheet on our website: www.apse.it

