ELASTOTAR PRO

- 1. Unique product-type identification code: RES561
- 2. Type number, batch number, series number, or any other element allowing identification of the construction product in accordance with Article 11(4): **ELASTOTAR PRO**
- 3. Intended use or uses of the construction product, in accordance with the relevant harmonized technical specification, as envisaged by the manufacturer: **BITUMINOUS LIQUID WATERPROOFING IN WATER EMULSION**.
- 4. Name, registered trade name or registered trademark and address of the manufacturer in accordance with Article 11(5):

APSE srl

via Genova 20, 24040 Ciserano (BG) Italia Tel. +39 035/882350 – Fax +39 035/883181 info@apsebg.it www.apse.it

1. Where appropriate, name and address of the agent whose mandate covers the tasks referred to in Article 12(2):

NOT APPLICABLE

2. System(s) for assessment and verification of constancy of performance of the construction product as referred to in Annex V:

SYSTEM 4

3. In the case of a declaration of performance for a construction product within the scope of a harmonized standard:

NO OBLIGATION OF THE NOTIFIED BODY

4. In the case of a declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

NOT APPLICABLE

5. Declared performance:

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONIZED TECHNICAL SPECIFICATION
Permeability to water vapour	5m ≤ S _D ≤ 50 m	EN 1504-2
Capillary absorption	W < 0,1 kg/m ² .h ^{0,5}	
Adhesion by direct traction (without traffic)	≥ 1,0 N/mm ²	
Direct traction adhesion after thermal shock cycles (without traffic)	≥ 1,0 N/mm²	COATING (C) Principles: MC - IR
Reaction to fire	F	i illicipies. Mo - IIX
Release of hazardous substances	See MSDS	

6. The product performance referred to in items 1 and 2 is in accordance with the declared performance referred to in item 9. This declaration of performance is issued under the sole responsibility of the manufacturer in item 4.

Issue date: September 2024

Signed for and on behalf of the manufacturer:

